



Jinan QiMing Bearing Co., Ltd.

NTN UCFCX14D1 Flange Block Bearings



UCFCX14D1 Bearing 2D drawings and 3D CAD models

Bearing No. UCFCX14D1

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	7.26
EAN	4547359501223
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Set Screw
Housing Style	4 Bolt Round Flange Cartridge
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	16 Millimeter
Relubricatable	Yes
Insert Part Number	UCX14D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	With Pilot
Inch - Metric	Metric
Long Description	4 Bolt Round Flange Cartridge; 70MM Bore; 190MM Bolt Circle; 134.4MM Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 77.8MM Length Thru Bore; Relubricatable;



Jinan QiMing Bearing Co., Ltd.

	Single Lip Land Rid
Other Features	Single Row Medium Duty Wide Inner Race Spigot Joint Has Flinger
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UCFCX14D1
Weight / LBS	16
d	2.756 Inch 70 Millimeter
Cartridge Pilot Diameter	6.457 Inch 164 Millimeter
Cartridge Pilot Depth	0.787 Inch 20 Millimeter
D	3.063 Inch 77.8 Millimeter
Nominal Bolt Circle Diameter Round	7.5 Inch 190 Millimeter
Bolt Spacing	5.291 Inch 134.4 Millimeter
bore diameter:	70 mm
expansion type:	Non-Expansion Bearing (Fixed)
bolt circle diameter:	7.4844 in
length through bore:	3-3/32 in
overall length/diameter:	8.7500 in
finish/coating:	Uncoated
bore type:	Round
lubrication type:	Lubrication Fitting
mounting type:	Four-Bolt Piloted
series:	UCFCX
housing material:	Cast Iron
standards met:	JIS



Jinan QiMing Bearing Co., Ltd.

locking device:	Set Screw
replacement bearing:	UCX14D1