



Jinan QiMing Bearing Co., Ltd.



23026 CCK/C3W33 Bearing 2D drawings and 3D CAD models

5.118 Inch | 130 Millimeter x 7.874 Inch | 200
Millimeter x 2.047 Inch | 52 Millimeter SKF 23026
CCK/C3W33 Spherical Roller Bearings

Bearing No. 23026 CCK/C3W33

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	5.601
EAN	7316576654978
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AHX3026 (Specify bore)
Withdrawal Nut	KM28
Inch - Metric	Metric
Long Description	130MM Tapered Bore; 200MM Outside Diameter; 52MM Width; C3-Loose Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable; Adapter Part Nu



Jinan QiMing Bearing Co., Ltd.

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.skf.com
Weight / LBS	12.337
Adapter Part Number	SNW3026 H3026 HA3026 HE3026 (Specify Bore) Inch H3026 (Specify bore) Millimeter
d	5.118 Inch 130 Millimeter
D	7.874 Inch 200 Millimeter
B	2.047 Inch 52 Millimeter
bore diameter:	130 mm
maximum rpm:	3600 RPM
outside diameter:	200 mm
operating temperature range:	Maximum of +390 ° F
overall width:	52 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole



Jinan QiMing Bearing Co., Ltd.

outer ring width:	52 mm
dynamic load capacity:	430 kN
fillet radius:	2 mm
static load capacity:	610 kN
series:	230